






















**FlexiBowl<sup>®</sup>**  
by **ars**

# Rotary Discs



Name	<b>STANDARD WHITE</b>
Image	
Material	Polyurethane – <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for flat and clean parts. Efficient both with backlight and topleight illumination.











Name	<b>SILICONE WHITE</b>
Image	
Material	Silicone - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for parts with wide support base (even if not perfectly stable) and for parts which slip on each other.

Name	<b>SMOOTH BLUE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic filaments: Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for light-colored parts and for toplight illumination. Very little subject to dirt.











Name	<b>DIAMOND BLUE</b>	
Image		
Material	Polyurethane - <b>FDA</b>	
Backlight		<b>Antistatic</b> filaments: <b>Yes</b>
Toplight		
Cleaning		
Grip		
<b>PARTS</b>		
Dirty/Oily		
Cylindrical		
Sticky		
Transparent		
Sharp		
Main Characteristics	Widely used surface, recommended for various different applications. Good for dirty parts too.	











Name	<b>SPIKE BEIGE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>No</b> Other details: <b>Spike</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for cylindrical parts (>15mm diameter).











Name	<b>DIAMOND BLACK</b>
Image	
Material	Polyurethane
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for stable light-colored parts, distinguished with toplight illumination (even if dirty).

Name	<b>GSTR BLACK</b>
Image	
Material	Polyurethane
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for stable light-colored parts, distinguished with toplight illumination. Suitable for small cylindrical parts too, even if dirty.













Name	<b>FABRIC TRANSPARENT</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic filaments: Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for sharp components.











Name	<b>GSTR WHITE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for clean and stable parts (even if sticky), and for very small cylindrical parts.











Name	<b>DIAMOND WHITE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic filaments: Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for clean and stable parts, even if sticky.

Name	<b>SPIKE TRANSPARENT</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>Yes</b> Other details: <b>Spike</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for cylindrical parts (<15mm diameter).










Name	<b>SILICONE TRANSPARENT</b>
Image	
Material	Silicone - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>No</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for parts with wide support base (even if not perfectly stable) and for parts which slip on each other.











Name	<b>STANDARD TRANSPARENT</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic</b> filaments: <b>No</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for flat and clean parts. Efficient both with backlight and toplight illumination.

Name	<b>SMOOTH BLACK</b>
Image	
Material	Polyurethane
Backlight	 <b>Antistatic filaments: Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for light-colored parts with toplight illumination. Very little subject to dirt.

Name	<b>SPIKE BLUE</b>
Image	
Material	Polyurethane - FDA
Backlight	 <b>Antistatic filaments: No</b> Other details: <b>Spike</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for cylindrical parts (>15mm diameter).



Name	<b>FLAT BEIGE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic filaments: No</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for transparent parts, with backlight illumination.

Name	<b>POLIBECH WHITE</b>
Image	
Material	Polyurethane - <b>FDA</b>
Backlight	 <b>Antistatic filaments: Yes</b>
Toplight	
Cleaning	
Grip	
<b>PARTS</b>	
Dirty/Oily	
Cylindrical	
Sticky	
Transparent	
Sharp	
Main Characteristics	Recommended for parts with a circular collar or small cylinders.